







## LITERATURA CITADA

- ACUÑA P, I VILA, R PARDO & S COMTE (2005) Trophic niche spatio-temporal characterization of the Andean ichthyc fauna at the Maule river, Chile. *Gayana* 69: 175-179.
- ANDERSON CB, CR GRIFFITH, AD ROSEMOND, R ROZZI & O DOLLENZ (2006a) The effects of invasive North American beavers on riparian plant communities in Cape Horn, Chile - Do exotic beavers engineer differently in sub-Antarctic ecosystems? *Biological Conservation* 128: 467-474.
- ANDERSON CB, R ROZZI, JC TORRES-MURA, SM MCGEHEE, MF SHERRIFFS, E SCHUETTNER & AD ROSEMOND (2006b) Exotic vertebrate fauna in the remote and pristine sub-Antarctic Cape Horn Archipelago, Chile. *Biodiversity and Conservation* 15: 3295-3313.
- ANDERSON CB & AD ROSEMOND (2007) Ecosystem engineering by invasive exotic beavers reduces in-stream diversity and enhances ecosystem function in Cape Horn, Chile. *Oecologia* 154: 141-153.
- ARISMENDI I, P SZEJNER, A LARAB & ME GONZÁLEZ (2008) Impacto del castor en la estructura de bosques ribereños de *Nothofagus pumilio* en Tierra del Fuego, Chile. *Bosque (Chile)* 29: 146-154.
- ASTORGA M, R GUÍÑEZ, JC ORTIZ & JC CASTILLA (2002) Phenotypic and genetic variation in tunicate *Pyura praeputialis* (Heller, 1878) in the Northern sac of the Antofagasta Bay. *Revista Chilena de Historia Natural* 75: 515-526.
- BADANO EI & LA CAVIERES (2006) Ecosystem engineering across ecosystems: do engineer species sharing common features have generalized or idiosyncratic effects on species diversity? *Journal of Biogeography* 33: 304-313.
- BADANO EI, E VILLARROEL, RO BUSTAMANTE, PA MARQUET & LA CAVIERES (2007) Ecosystem engineering facilitates invasions by exotic plants in high-Andean ecosystems. *Journal of Ecology* 95: 682-688.
- BALDINI A, J OLTREMARI & M RAMÍREZ (2008) Impacto del castor (*Castor canadensis*, Rodentia) en bosques de lenga (*Nothofagus pumilio*) de Tierra del Fuego, Chile. *Bosque (Chile)* 29: 162-169.
- BECERRA P & L FAÚNDEZ (1999) Floristic diversity of the Reserva Nacional Malalcahuello, IX Región, Chile. *Chloris Chile* 2: <http://www.chlorischile.cl>. (accedido Noviembre 20, 2008)
- BECERRA PI (2006) Invasion of alien trees in a pre-Andean watershed of central Chile. *Gayana Botanica* 63: 161-174.
- BECERRA PI & RO BUSTAMANTE (2008) The effect of herbivory on seedling survival of the invasive exotic species *Pinus radiata* and *Eucalyptus globulus* in a Mediterranean ecosystem of Central Chile. *Forest Ecology and Management* 256: 1573-1578.
- BUSTAMANTE R, A PAUCHARD, A JIMÉNEZ, A MARTICORENA & LA CAVIERES (2005) Alien plants in mediterranean-type ecosystems of the Americas: Comparing floras at a regional and local scale. En: Brunel S (ed) *Invasive plants in Mediterranean Type Regions of the World*: 89-97. Proceedings of the International Workshop Meze France. Council of Europe Publishing, Estrasburgo, Francia.
- BUSTAMANTE, RO & C CASTOR (1998) The decline of an endangered temperate ecosystem: The rui (*Nothofagus alessandrii*) forest in central Chile. *Biodiversity and Conservation* 7: 1607-1626.
- BUSTAMANTE RO & JA SIMONETTI (2005) Is *Pinus radiata* invading the native vegetation in central Chile? Demographic responses in a fragmented forest. *Biological Invasions* 7: 243-249.
- CAMUS PA (2005) Introduction of species in Chilean marine environments: Not only exotic, not always evident. *Revista Chilena de Historia Natural* 78: 155-159.
- CARNEGIE AJ, M MATSUKI, DA HAUGEN, BP HURLEY, R AHUMADA, P KLASMER, JH SUN & ET IEDE (2006) Predicting the potential distribution of *Sirex noctilio* (Hymenoptera: Siricidae), a significant exotic pest of *Pinus* plantations. *Annals of Forest Science* 63: 119-128.
- CASTILLA JC, AG COLLINS, CP MEYER, R GUÍÑEZ & DR LINDBERG (2002). Recent introduction of the dominant tunicate, *Pyura praeputialis* (Urochordata, Pyuridae) to Antofagasta, Chile. *Molecular Ecology* 11: 1579-1584.
- CASTILLA JC, R GUÍÑEZ, AU CARO & V ORTIZ (2004a) Invasion of a rocky intertidal shore by the tunicate *Pyura praeputialis* in the Bay of Antofagasta, Chile. Proceedings of the National Academy of Sciences of the United States of America 101: 8517-8524.
- CASTILLA JC, NA LAGOS & M CERDA (2004b) Marine ecosystem engineering by the alien ascidian *Pyura praeputialis* on a mid-intertidal rocky shore. *Marine Ecology Progress Series* 268: 119-130.
- CASTILLA JC, M URIBE, N BAHAMONDE, M CLARKE, R DESQUEYROUX-FAÚNDEZ et al. (2005) Down under the southeastern Pacific: Marine non-indigenous species in Chile. *Biological Invasions* 7: 213-232.
- CASTRO SA, JA FIGUEROA, M MUÑOZ-SCHICK & FM JAKSIC (2005) Minimum residence time, biogeographical origin, and life cycle as determinants of the geographical extent of naturalized plants in continental Chile. *Diversity and Distributions* 11: 183-191.
- CASTRO SA & FM JAKSIC (2008) How general are global trends in biotic homogenization? Floristic tracking in Chile, South America. *Global Ecology and Biogeography* 17: 524-531.
- CASTRO SA & FM JAKSIC (2008) Patterns of turnover and floristic similarity show a non-random distribution of naturalized flora in Chile, South America. *Revista Chilena de Historia Natural* 81: 111-121.
- CASTRO SA, M MUÑOZ & FM JAKSIC (2007) Transit towards floristic homogenization on oceanic islands in the south-eastern Pacific: Comparing pre-European and current floras. *Journal of Biogeography* 34: 213-222.
- CAVIERES LA, EI BADANO, A SIERRA-ALMEIDA & MA MOLINA-MONTENEGRO (2007) Microclimatic modifications of cushion plants and their consequences for seedling survival of native and non-native herbaceous species in the high Andes of central Chile. *Arctic Antarctic and Alpine Research* 39: 229-236.
- CAVIERES LA, CL QUIROZ & MA MOLINA-MONTENEGRO (2008) Facilitation of the non-native *Taraxacum officinale* by native nurse cushion species in the high Andes of central Chile: Are there differences between nurses? *Functional Ecology* 22: 148-156.
- CAVIERES LA, CL QUIROZ, MA MOLINA-

- MONTENEGRO, AA MUÑOZ & A PAUCHARD (2005). Nurse effect of the native cushion plant *Azorella monantha* on the invasive non-native *Taraxacum officinale* in the high-Andes of central Chile. Perspectives in Plant Ecology Evolution and Systematics 7: 217-226.
- CLEMENTS DR, DJ PETERSON & R PRASAD (2001) The biology of Canadian weeds. 112. *Ulex europaeus* L. Canadian Journal of Plant Science 81: 325-337.
- CROOKS JA (1998) Habitat alteration and community-level effects of an exotic mussel, *Musculista senhousia*. Marine Ecology Progress Series 162: 137-152.
- CUEVAS JG, A MARTICORENA & LA CAVIERES (2004) New additions to the introduced flora of the Juan Fernández Islands: origin, distribution, life history traits, and potential of invasion. Revista Chilena de Historia Natural 77: 523-538.
- DEL POZO A, C OVALLE, MA CASADO, B ACOSTA & JM DE MIGUEL (2006) Effects of grazing intensity in grasslands of the Espinal of central Chile. Journal of Vegetation Science 17: 791-798.
- DOMÍNGUEZ E (2007) Preliminary catalogue of the exotic grasses of the Magellán Region (XII), Chile. Chloris Chile Año 10 (en línea) URL: <http://www.chlorischile.cl> (accedido Noviembre 28, 2008).
- DOMÍNGUEZ E, A ELVEBAKK, C MARTICORENA & A PAUCHARD (2006) Alien plants in Torres del Paine National Park, Chile. Gayana Botanica 63: 131-141.
- FIGUEROA JA, SA CASTRO, PA MARQUET & FM JAKSIC (2004) Exotic plant invasions to the Mediterranean region of Chile: Causes, history and impacts. Revista Chilena de Historia Natural 77: 465-483.
- FUENTES ER (1991) Central Chile: how do introduced plants and animals fit into the landscape? En: Groves RH & F Di Castri (eds) Biogeography of Mediterranean Invasions: 43-50. Cambridge University Press. Cambridge, England.
- FUENTES N, E UGARTE, I KUHN & S KLOTZ (2008) Alien plants in Chile: Inferring invasion periods from herbarium records. Biological Invasions 10: 649-657.
- GARCÍA RA, A PAUCHARD & E PEÑA (2007) Seed bank, regeneration and growth of *Teline monspessulana* (L.) K. Koch after a forest fire. Gayana Botanica 64: 201-210.
- GONZÁLEZ-ACUÑA D, PM BELDOMENICO, JM VENZAL, M FABRY, JE KEIRANS & AA GUGLIELMONE (2005) Reptile trade and the risk of exotic tick introductions into southern South American countries. Experimental and Applied Acarology 35: 335-339.
- GUTIÉRREZ JR, PL MESERVE, S HERRERA, LC CONTRERAS & FM JAKSIC (1997) Effects of small mammals and vertebrate predators on vegetation in the Chilean semiarid zone. Oecologia 109: 398-406.
- HOLMGREN M (2002) Exotic herbivores as drivers of plant invasion and switch to ecosystem alternative states. Biological Invasions 4: 25-33.
- IRIARTE JA, GA LOBOS & FM JAKSIC (2005) Invasive vertebrate species in Chile and their control and monitoring by governmental agencies. Revista Chilena de Historia Natural 78: 143-154.
- JAKSIC FM, JA IRIARTE, JE JIMÉNEZ & DR MARTÍNEZ (2002) Invaders without frontiers: cross-border invasions of exotic mammals. Biological Invasions 4: 157-173.
- JAKSIC FM (1998) Vertebrate invaders and their ecological impacts in Chile. Biodiversity and Conservation 7: 1427-1445.
- JAKSIC FM & ER FUENTES (1991) Ecology of a successful invader: The European rabbit in central Chile. En: Groves RH & F Di Castri (eds) Biogeography of Mediterranean Invasions: 273-284. Cambridge University Press. Cambridge, England.
- JIMÉNEZ A, A PAUCHARD, LA CAVIERES, A MARTICORENA & RO BUSTAMANTE (2008) Do climatically similar regions contain similar alien floras? A comparison between the mediterranean areas of central Chile and California. Journal of Biogeography 35: 614-624.
- KALIN-ARROYO MT, C MARTICORENA, O MATTHEI & L CAVIERES (2000) Plant invasions in Chile: Present patterns and future predictions. En: Mooney HA & RJ Hobbs (eds) Invasive species in a changing world: 385-421. Island Press, Washington, DC
- KANG M, YM BUCKLEY & AJ LOWE (2007) Testing the role of genetic factors across multiple independent invasions of the shrub Scotch broom (*Cytisus scoparius*). Molecular Ecology 16: 4662-4673.
- LANFRANCO D & HS DUNGEY (2001) Insect damage in Eucalyptus: A review of plantations in Chile. Austral Ecology 26: 477-481.
- LARDIES MA & F BOZINOVIC (2008) Genetic variation for plasticity in physiological and life-history traits among populations of an invasive species, the terrestrial isopod *Porcellio laevis*. Evolutionary Ecology Research 10: 747-762.
- LEGER EA & ML FORISTER (2005) Increased resistance to generalist herbivores in invasive populations of the California poppy (*Eschscholzia californica*). Diversity and Distributions 11: 311-317.
- LETÉLIER S, AM RAMOS & LG HUAQUIN (2007) Exotic freshwater mollusks in Chile. Revista Mexicana de Biodiversidad 78: 9S-13S.
- LITTON CM & R SANTELICES (2002) Early post-fire succession in a *Nothofagus glauca* forest in the Coastal Cordillera of south-central Chile. International Journal of Wildland Fire 11: 115-125.
- LOBOS G, M FERRES & RE PALMA (2005) Presence of the invasive genera *Mus* and *Rattus* in natural areas in Chile: An environmental and epidemiological risk. Revista Chilena de Historia Natural 78: 113-124.
- LOBOS G & FM JAKSIC (2005) The ongoing invasion of African clawed frogs (*Xenopus laevis*) in Chile: Causes of concern. Biodiversity and Conservation 14: 429-439.
- LOBOS G & J MEASY (2002) Invasive populations of *Xenopus laevis* (Daudin) in Chile. Herpetological Journal 12: 163-168.
- LUSK CH, C DONOSO, M JIMÉNEZ, C MOYA, G OYARCE et al. (2001) Decomposition of leaf litter of *Pinus radiata* and three native tree species. Revista Chilena de Historia Natural 74: 705-710.
- MANRIQUE R, JR GUTIÉRREZ, M HOLMGREN & FA SQUEO (2007) Reduced herbivory during simulated ENSO rainy events increases native herbaceous plants in semiarid Chile. Plant Ecology 191: 21-31.
- MONTENEGRO G, S TEILLIER, P ARCE & V POBLETE (1991) Introduction of plants into the

- mediterranean-type climate area of Chile. En: Groves RH & F Di Castri (eds) Biogeography of Mediterranean Invasions: 103-115. Cambridge University Press, Cambridge, England.
- MOORMAN MC, CB ANDERSON, AG GUTIÉRREZ, R CHARLIN & R ROZZI (2006) Watershed conservation and aquatic benthic macroinvertebrate diversity in the Alberto d'Agostini national park, Tierra del Fuego, Chile. *Anales Instituto Patagonia (Chile)* 34: 41-58.
- MUÑOZ AA & LA CAVIERES (2008) The presence of a showy invasive plant disrupts pollinator service and reproductive output in native alpine species only at high densities. *Journal of Ecology* 96: 459-467.
- NEILL PE, O ALCALDE, S FAUGERON, SA NAVARRETE & JA CORREA (2006) Invasion of *Codium fragile* ssp. *tomentosoides* in northern Chile: A new threat for *Gracilaria* farming. *Aquaculture* 259: 202-210.
- NIEVES-ALDREY JL & A GREZ (2007) Two cynipid species inducing galls to herbaceous weeds (Hym., Cynipidae) introduced in Chile. *Agrociencia* 41: 921-927.
- NORAMBUENA H, S ESCOBAR & F RODRÍGUEZ (2001) Control Biológico de *Ulex europaeus* L.: internación a Chile de dos poblaciones del bioagente *Agonopterix ulicetella* (Stainton) (Lepidoptera: Oecophoridae). *Agricultura Técnica* 61: 82-88.
- OLIVARES TS & DH BURCKHARDT (2002) Presence of *Heteropsylla cubana* Crawford in Chile (Hemiptera: Psyllidae: Ciriaceinae). *Gayana* 66: 81-82.
- ORTIZ M & W STOTZ (2007) Ecological and eco-social models for the introduction of the abalone *Haliotis discus* Hannai into benthic systems of north-central Chile: Sustainability assessment. *Aquatic Conservation-Marine and Freshwater Ecosystems* 17: 89-105.
- OVALLE C, J ARONSON, J AVENDAÑO, R MENESES & R MORENO (1993) Rehabilitation of degraded ecosystems in Central Chile and its relevance to the arid Norte-Chico. *Revista Chilena de Historia Natural* 66: 291-303.
- PALMA AT, MG SILVA, CA MUÑOZ, C CARTES & FM JAKSIC (2008) Effect of prolonged exposition to pulp mill effluents on the invasive aquatic plant *Egeria densa* and other primary producers: A mesocosm approach. *Environmental Toxicology and Chemistry* 27: 387-396.
- PAUCHARD A & PB ALABACK (2002) La amenaza de plantas invasoras. *Chile Forestal (Chile)* 289: 13-15.
- PAUCHARD A & PB ALABACK (2004) Influence of elevation, land use, and landscape context on patterns of alien plant invasions along roadsides in protected areas of south-central Chile. *Conservation Biology* 18: 238-248.
- PAUCHARD A, L CAVIERES, R BUSTAMANTE, P BECERRA & E RAPOPORT (2004a) Increasing the understanding of plant invasions in southern South America: First symposium on alien plant invasions in Chile. *Biological Invasions* 6: 255-257.
- PAUCHARD A, LA CAVIERES & RO BUSTAMANTE (2004b) Comparing alien plant invasions among regions with similar climates: Where to from here? *Diversity and Distributions* 10: 371-375.
- PAUCHARD A, RA GARCÍA, E PEÑA, C GONZÁLEZ, LA CAVIERES & RO BUSTAMANTE (2008) Positive feedbacks between plant invasions and fire regimes: *Teline monspessulana* (L.) K. Koch (Fabaceae) in central Chile. *Biological Invasions* 10: 547-553.
- PAUCHARD A, C KUEFFER, H DIETZ, CC DAEHLER, J ALEXANDER et al. (en prensa) Ain't no mountain high enough: Plant invasions reaching new elevations. *Frontiers in Ecology and the Environment* 7: 479-486.
- PEÑA E, M HIDALGO, B LANGDON & A PAUCHARD (2008) Patterns of spread of *Pinus contorta* Dougl. ex Loud. invasion in a Natural Reserve in southern South America. *Forest Ecology and Management (Chile)* 256: 1049-1054.
- PEÑA E, B LANGDON & A PAUCHARD (2007) Árboles exóticos naturalizados en el bosque nativo chileno: evidencias del carácter invasivo de cinco especies. *Bosque Nativo (Chile)* 40: 3-7.
- PEÑA E & A PAUCHARD (2001) Coníferas introducidas en unidades del SNASPE: un riesgo para la biodiversidad. *Bosque Nativo (Chile)* 30: 3-7.
- PÉREZ JE, C ALFONSI, M NIRCHIO, C MUÑOZ & JA GÓMEZ (2003) The introduction of exotic species in aquaculture: A solution or part of the problem? *Interciencia* 28: 234-238.
- PETERSON DJ & R PRASAD (1998) The biology of Canadian weeds. 109. *Cytisus scoparius* (L.) Link. *Canadian Journal of Plant Science* 78: 497-504.
- ROZZI R, R CHARLIN, S IPPY & O DOLLENZ (2004) Cape Horn: A national park free from alien species in southernmost South America. *Anales Instituto Patagonia* 32: 55-62.
- ROZZI R, F MASSARDO, J SILANDER, O DOLLENZ, B CONNOLLY, C ANDERSON & N TURNER (2003) Native and exotic tree species in the squares of the Magellan Region. *Anales Instituto Patagonia* 31: 27-42.
- SABAT P, JM RIVEROS & C LÓPEZ-PINTO (2005) Phenotypic flexibility in the intestinal enzymes of the African clawed frog *Xenopus laevis*. *Comparative Biochemistry and Physiology* 140: 135-139.
- SAX DF (2002) Native and naturalized plant diversity are positively correlated in scrub communities of California and Chile. *Diversity and Distributions* 8: 193-210.
- SILVA CA & B SAAVEDRA (2008) Knowing for controlling: Ecological effects of invasive vertebrates in Tierra del Fuego. *Revista Chilena de Historia Natural* 81: 123-136.
- SKÉWES O, R RODRÍGUEZ & FM JAKSIC (2007) Trophic ecology of the wild boar (*Sus scrofa*) in Chile. *Revista Chilena de Historia Natural* 80: 295-307.
- SOTO D, I ARISMENDI, J GONZÁLEZ, J SANZANA, F JARA, C JARA, E GUZMÁN & A LARA (2006) Southern Chile, trout and salmon country: Invasion patterns and threats for native species. *Revista Chilena de Historia Natural* 79: 97-117.
- SOTO D, F JARA & C MORENO (2001) Escaped salmon in the inner seas, southern Chile: Facing ecological and social conflicts. *Ecological Applications* 11: 1750-1762.
- TORREJÓN F & M CISTERNAS (2002) Araucanian ecological landscape disturbances by the mapuche assimilation of the Hispanic-Mediterranean farming (16<sup>th</sup> and 17<sup>th</sup> centuries). *Revista Chilena de Historia Natural* 75: 729-736.
- VALDOVINOS C (2001) Procesamiento de detritus ripariano por macroinvertebrados bentónicos en un estero boscoso de Chile central. *Revista Chilena de Historia Natural* 74: 445-453.

- WALLEM PK, CG JONES, PA MARQUET & FM JAKSIC (2007) Identifying the mechanisms underlying the invasion of *Castor canadensis* (Rodentia) into Tierra del Fuego archipelago, Chile. *Revista Chilena de Historia Natural* 80: 309-325.
- WETTERER JK (2005) Worldwide distribution and potential spread of the long-legged ant, *Anoplolepis gracilipes* (Hymenoptera: Formicidae). *Sociobiology* 45: 77-97.
- ZHOU XD, ZW DE BEER, R AHUMADA, BD WINGFIELD & MJ WINGFIELD (2004) *Ophiostoma* and *Ceratocystiopsis* spp. associated with two pine-infesting bark beetles in Chile. *Fungal Diversity* 15: 261-274.